

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-FB-<br>021318                  | 280-106389-1                            | 2/13/2018<br>8:00       | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

### Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5172MATTH-W1-<br>1-021318  | 280-106389-2                            | 2/13/2018<br>10:02      | 2/14/2018                                 | 2/26/2018        | 0.057                |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>3821HEART-W1-<br>1-021318  | 280-106389-3                            | 2/13/2018<br>13:54      | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

### Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5900MRSHR-<br>W1-1-021318  | 280-106389-4                            | 2/13/2018<br>15:01      | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

### Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification  | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|---------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5900MRSHR-<br>W1-1-021318-D | 280-106389-5                            | 2/13/2018<br>15:01      | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5700DRGFL-W1-<br>1-021318  | 280-106389-6                            | 2/13/2018<br>8:53       | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5700DRGFL-W1-<br>2-021318  | 280-106389-7                            | 2/13/2018<br>8:56       | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>2704CHIMB-W1-<br>1-021318  | 280-106389-8                            | 2/13/2018<br>9:43       | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



3/12/2018

Michelle A. Johnston, Project Manager

Date



## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>3804HEART-W1-<br>1-021318  | 280-106389-9                            | 2/13/2018<br>11:06      | 2/14/2018                                 | 2/26/2018        | 0.044                |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>2560KANSS-W1-<br>1-021318  | 280-106389-10                           | 2/13/2018<br>12:16      | 2/14/2018                                 | 2/26/2018        | 0.025                |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>5706CHKFT-W1-<br>1-021318  | 280-106389-11                           | 2/13/2018<br>14:19      | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

### Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date

## Fluorochemical Characterization of Water Samples Analytical Results

| Chemours<br>Sample<br>Identification | TestAmerica<br>Sample<br>Identification | Collection<br>Date/Time | Date Sample<br>Received by<br>TestAmerica | Analysis<br>Date | HFPO-DA#<br>(ug/L**) |
|--------------------------------------|---|-------------------------|---|------------------|----------------------|
| FAY-D-<br>3824HEART-W1-<br>1-021318  | 280-106389-12                           | 2/13/2018<br>17:10      | 2/14/2018                                 | 2/26/2018        | <0.010               |

# HFPO-DA – hexafluoropropylene oxide dimer acid, analyzed by method DV-LC-0012, Revision 14.

< = less than the stated value

\*\* ug/L – micrograms/liter (parts per billion)

### DEFINITIONS:

Reporting Limit (RL) for the procedure is approximately 0.010ug/L.

### RESULTS ARE CALCULATED ACCORDING TO THE FOLLOWING CRITERIA:

For samples analyzed in duplicate:

If the sample and laboratory duplicate are greater than 5X RL, the relative percent difference (RPD) is less than 20, the average value is reported. If the RPD is greater than 20, the higher value is reported.


If the sample or laboratory duplicate are less than 5X RL, and the absolute difference is less than RL, the average value is reported. If the absolute difference is greater than the RL, the higher value is reported.

### Matrix Spike Recoveries:

Acceptable Range: 70%-130%

| TestAmerica Sample ID | Matrix Spike Recoveries |
|-----------------------|-------------------------|
| 280-106389-4          | 117%                    |

### SUBMITTED BY:



2/28/2018

Michelle A. Johnston, Project Manager

Date